

REPORT

CD NO.

DATE DISTR. 8 April 1955

NO. OF PAGES

NO. OF ENCLS.
(LISTED BELOW)

SUPPLEMENT TO
REPORT NO.

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES, WITHIN THE MEANING OF TITLE 18, SECTIONS 793 AND 794, OF THE U. S. CODE, AS AMENDED; ITS TRANSMISSION OR REVELATION OF ITS CONTENTS TO OR RECEIPT BY AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW THE REPRODUCTION OF THIS FORM IS PROHIBITED.

THIS IS UNEVALUATED INFORMATION

Drastic cuts were made in the telecommunication budget of the Ministry for Post and Telecommunications in East Berlin compared to the previous draft. In the new plan, the Ministry will be allotted 1,000 DME for new purchases and 20,000 DME for the maintenance of equipment and installations. The amount allotted for maintenance will not suffice to carry out all urgent general repair on motor vehicles, and buildings, on the central heating, and of the paternoster elevator which has been out of operation for several months.

CLASSIFICATION ~~S-E-C-R-E-T~~

STATE	X	NAVY	X	NSRB	DISTRIBUTION					
ARMY	X	AIR	X	FBI						

INFORMATION REPORT

CD NO.

COUNTRY East Germany

DATE DISTR. 8 April 1955

SUBJECT Cuts in the 1955 Budget of the Ministry
for Post and Telecommunications

NO. OF PAGES

**PLACE
ACQUIRED**

NO. OF ENCLS.
(LISTED BELOW)

25X1

DATE OF INFO.

**SUPPLEMENT TO
REPORT NO.**

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES, WITHIN THE MEANING OF TITLE 48, SECTIONS 900 AND 784, OF THE U. S. CODE, AS AMENDED. THE TRANSMISSION OR REVELATION OF ITS CONTENTS TO OR FROM AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. THIS INFORMATION IS UNCLASSIFIED

THIS IS UNEVALUATED INFORMATION

25X1

Drastic cuts were made in the temporary 1955 budget of the Ministry for Post and Telecommunications (MPF) in East Berlin compared to the previous draft. According to the new plan, the Ministry will be allotted 1,000 DEM for new purchases and 20,000 DEM for the maintenance of equipment and installations. The amount allotted for maintenance will not suffice to carry out all urgent general repair on motor vehicles, and buildings, on the central heating, and of the paternoster elevator which has been out of operation for several months.

25X1

~~CLASSIFICATION S-E-C-R-E-T~~

Approved For Release 2008/07/24 : CIA-RDP80-00810A006200160012-6